ELSEVIER

Journal of Immunological Methods 177 (1994) 275–276

JOURNAL OF IMMUNOLOGICAL METHODS

Contents to volume 177 (1994)

Numbers 1–2 — 28 December 1994

Research reports

Extension of the four-parameter logistic model for ELISA to multianalyte analysis
G. Jones, M. Wortberg, S.B. Kreissig, D.S. Bunch, S.J. Gee, B.D. Hammock and D.M. Rocke (USA) 1

Molecular analysis of T cell receptor Vβ chain to detect leukemia cell clonality in patients by adaptor ligation-mediated polymerase chain reaction
T. Matsutani, C. Oishi, T. Kaneshige, H. Igimi, K. Uchida, Y. Tsuruta, T. Yoshioka, R. Suzuki and T. Sakata (Japan) 9

Construction of a human B cell line, TKHMY, suitable for production of stable human hybridomas
T. Kudo, H. Saeki, Y. Katayose and A. Yasui (Japan) 17

A novel multispecific competitor fragment for quantitative PCR analysis of cytokine gene expression in rats
A. Siegling, M. Lehmann, C. Platzer, F. Emmrich and H.-D. Volk (Germany) 23

Thiophilic adsorption: rapid purification of $F(ab)_2$ and Fc fragments of IgG1 antibodies from murine ascitic fluid
G.K. Yurov, G.L. Neugodova, O.A. Verkhovsky and B.S. Naroditsky (Russia) 29

Solution-phase binding of monoclonal antibodies to bee venom phospholipase A_2
E.A. Myatt, F.J. Stevens and C. Benjamin (USA) 35

Evaluation of alternative CD4 technologies for the enumeration of CD4 lymphocytes
J.K.A. Nicholson, W.M. Velleca, S. Jubert, T.A. Green and L. Bryan (USA) 43

Flow cytometric evaluation of LDL receptors using DiI-LDL uptake and its application to B and T lymphocytic cell lines
C.F. Yen, C.I. Kalunta, F.-S. Chen, J.S. Kaptein, C.-K.E. Lin and P.M. Lado (USA) 55

Development of an enzyme-linked immunosorbent assay (ELISA) combined with a streptavidin-biotin and enzyme amplification method to detect anti-2,3-di-*o*-acyltrehalose (DAT) antibodies in patients with tuberculosis
L. Vera-Cabrera, V. Handzel and A. Laszlo (Canada) 69

Validation of a quantitative ELISA for comparison of monoclonal antibody affinities for isolates of bluetongue virus
J.R. White (Australia) 79

Characterization of a monoclonal antibody to the capsule of *Haemophilus influenzae* type b, generated by in vitro immunization
R. Bunse and H.-P. Heinz (Germany) 89

An improved fluorescence assay for the determination of lymphocyte-mediated cytotoxicity using flow cytometry
N.G. Papadopoulos, G.V.Z. Dedoussis, G. Spanakos, A.D. Gritzapis, C.N. Baxevanis and M. Papamichail (Greece) 101

Assessment of cell proliferation by means of an enzyme-linked immunosorbent assay based on the detection of the Ki-67 protein
G. Key, M.H.G. Kubbutat and J. Gerdes (Germany) 113

A flow cytometric long-term cytotoxicity assay
L. Karawajew, G. Jung, H. Wolf, B. Micheel and K. Ganzel (Germany) 119

Theoretical and experimental epitope mapping of thymosin β_4
S. Becker, F.P. Armbruster, B. Müller, H. Echner, A. Kapurnotu, E. Livaniou, M. Mihelić, S. Stoeva and W. Voelter (Germany) 131

Cytofluorometric quantification of IgE and IgE receptors on individual mast cells
X.-J. Chen, S. Juliusson, F. Aldenborg and L. Enerbäck (Sweden) 139

On the interaction between single chain Fv antibodies and bacterial immunoglobulin-binding proteins
B. Åkerström, B.H.K. Nilson, H.R. Hoogenboom and L. Björck (Sweden, UK) 151

Reduction of escapee formation in flow cytometric analysis of lymphocyte subsets
H.E. Prince, J. York and D.K. Kuttner (USA) 165

The use of caprylic acid for the extraction of the immunoglobulin fraction from egg yolk of chickens immunised with ovine α-lactalbumin
R.D. McLaren, C.G. Prosser, R.C.J. Grieve and M. Borissenko (New Zealand) 175

Application of the gel shift assay to study the affinity and specificity of anti-DNA autoantibodies
S.Y. Stevens, P.C. Swanson and G.D. Glick (USA) 185
Tumor necrosis factor (TNF)α quantification by ELISA and bioassay: effects of TNFα-soluble TNF receptor (p55) complex dissociation during assay incubations
A. Corti, C. Poiesi, S. Merli and G. Cassani (Italy) 191
Efficient optimization of ELISAs
S.R. Reiken, B.J. Van Wie, H. Sutisna, D.L. Kurdikar and W.C. Davis (USA) 199
A sensitive ELISA for measuring the adhesion of leukocytic cells to human endothelial cells
T. Krakauer (USA) 207
Multicolor flow cytometric analysis of the CD45 antigen provides improved lymphoid cell discrimination in bone marrow and tissue biopsies
R. Festin, A. Björkland and T.H. Tötterman (Sweden) 215
Characterisation of monoclonal antibodies against human interleukin-10 and their use in an ELISA for the measurement of this cytokine
D. De Groote, A. Marchant, F. Fauchet, M. Jadoul, I. Dehart, C. Gérard, Y. Gevaert, M. Lopez, R. Gathy, J.D. Franssen, D. Radoux and P. Franchimont (Belgium) 225
An enzyme-linked immunosorbent assay for complement regulatory proteins and membrane-bound immunoglobulins on intact red blood cells
D.R.E. Jones, R.J. Thompson, S. Amirchetty Rao and H. Imrie (UK) 235
A versatile system for the production of recombinant chimeric peptides
K.A.L. De Smet, H.M. Vordermeier and J. Ivanyi (UK) 243
Development of a radioimmunoassay method for ethynylestradiol in plasma using a monoclonal antibody
A.L. Agasan, B.J. Stewart and T.G. Watson (Australia) 251
A lactate dehydrogenase (LDH)-based immunoassay for detection of cell surface antigens and its application to the study of MHC class I-binding peptides
L.J. Sigal, S. Berens and D. Wylie (USA) 261

Letters to the editors
Radioresistance of interleukin-2 producing cryopreserved human peripheral blood mononuclear cells
M. Venkataraman (USA) 269
Reply to the letter of M. Venkataraman
U. Schanz, D.L. Roelen, J.W. Bruning, J.J. Van Rood and F.H.J. Claas (Switzerland, Netherlands) 271

Book review 273

Contents to volume 177 (1994) 275

Notes to authors 277